

3 STRAND SAFETY BARRIERS

Full write up to come from client.

No bullet points available.



BRUNTON
WIRE ROPES
THE SPECIALIST



3 STRAND SAFETY BARRIERS

Constructions

3x7 (6-1)

Core

None

Range


19mm

Rope grade

1230, 1420, 1570

MBF

173.6 kN



Typical applications

Cannot find this product in application vs product mapping

Nom. Rope Dia	Approx. mass	Minimum Breaking Force
mm	Kg./100m	kN
19	121.00	173.6

Supplied as Pre-stretched

Lay - Right Hand

Coating - Galvanised Class - A (normal coating mass of 230 gm/m²)

may also be supplied with coating mass of 400 gm/m².



Get in touch with us

Write to us at contact@bsme.uae

To send us a detailed enquiry

[CLICK HERE →](#)

Use our rope selector to find the right rope

[CLICK HERE →](#)

برنتن وایر راپس فز م ح

BW
Brunton Wire
Ropes FZCo.

P.O. BOX 17491, JEBEL ALI FREE ZONE, DUBAI, UAE

PH.: + 9714 8838755, + 971 50 9537280, + 971 50 177 5929, + 971 50 450 3717

FAX: + 9714 8838152 | E-MAIL: wireropes@bsme-uae.com, sm@bsme-uae.com, bmall@bsme-uae.com

an  **usha martin** Group company